

# Risikobewertung von Nanopartikeln in kosmetischen Produkten


Jürgen Lademann

Klinik für Dermatologie, Bereich Hautphysiologie  
Universitätsmedizin Charité, Berlin

# Gliederung


- Penetrationswege von Nanopartikeln
- Einfluss der Größe von Nanopartikeln auf die Speicherung und die Penetration

# Penetration pathways



# **Investigation of intercellular penetration by tape stripping**


# Method of tape stripping



Application of the emulsion



Homogeneous distribution




Pressing of the tape by a roller




Removing of the adhesive film

# Penetration profile of TiO<sub>2</sub> in the stratum corneum



# Distribution of TiO<sub>2</sub> on the removed tape strips

1st tape strip



# Investigation of follicular penetration

# Penetration measurements of TiO<sub>2</sub>


Skin surface after 25 removed tape strips

Sunscreen residual components can be clearly observed in the follicle openings




# Position of the hair follicles on the removed tape strips

Staining by OsO<sub>4</sub>




# Detection of $\text{TiO}_2$ nanoparticles on the removed tape strips in the follicle areas

LSM measurements




# Penetration profile of TiO<sub>2</sub> in the stratum corneum



# Characteristic measuring points of biopsy sample

diameter of the measuring spots 50 µm



# Transfollicular absorption

## Unexpected results:

- The follicles are “open”, when hair growth and/or sebum production are detected. The follicles are “closed”, when no hair growth and no sebum production can be measured.

**What is the optimal size of NP for penetration into the hair follicles**

## R. Toll et al., JID 2004


- human skin (in vitro)
- analysis of histological sections by LSM after application, penetration and massage of NP
- size: 600 - 2500 nm

## J. Lademann et al., Skin. Pharm. will be published


- pig ear skin (in vitro)
- analysis of histological sections by LSM after application and massage of NP containing formulation and formulation without NP
- size NP: 320 nm

# Determination of the penetration depth

a) Without massage




particles



non particle containing formulation


# Determination of the penetration depth

a) Without massage




# Determination of the penetration depth

a) With massage




particles




Non particle containing formulation

# Determination of the penetration depth

a) With massage



# Quantitative determination of the penetration depth



5  $\mu\text{m}$

A scanning electron micrograph showing a surface with a distinct wavy or undulating texture. The surface appears relatively smooth in the grooves between the waves, while the peaks show more pronounced, rounded protrusions. A vertical scale bar is located in the upper right corner, labeled "5  $\mu\text{m}$ ".

# Resume

- The optimal size of NP for storage and penetration of NP is 300 – 700 nm
- No penetration into the living epidermis could be detected